



PRODUCT CATALOG 2021



MARITIM

1852**MAR
INE
QUALITY**

ESPECIALLY FOR BOATING

Electronics and navigation

1852 SPEAKER

Handmade in Italy. High-quality elements and high-strength frame with powerful magnet for excellent sound. The range includes models for all needs, incl. for locations where minimal installation depth is available.

9514601090	80 W
9514601092	120 W
9514601094	200 W



TV ANTENNA KIT

TV/FM antenna with ASA plastic dome. 10 m coaxial cable, 2 m interface cable for TV and antenna amplifier. Kit includes mast/wall, rail and universal mount made of stainless steel.



8

9514600860

STEERING WHEELS

High quality. 5 spoke. Ø 360 mm, depth 100 mm.

Steering wheel.
9513002052

Steering wheel
with spinner.
9513002050



Increased
user comfort
and lighter
steering.



Electronics and navigation



BASIC KIT

- T-connector 2 pcs
- Drop cable, 2 m
- T-cable, 2 m
- Terminator, male
- Terminator, female
- In storage box

Requires a suitable power cable, ordered separately.

9514611003



PRO KIT

- T-connector 2 pcs
- T-connector 2-way 2 pcs
- T-connector 4-way 2 pcs
- Drop cable, 2 m
- Drop cable, 5 m
- Drop cable, 10 m
- Terminator, male
- Terminator, female
- In storage box

9514611005

T-ADAPTOR

9514611031



T-ADAPTOR

2-way.

9514611033



T-ADAPTOR

4-way.

9514611035



T-CONNECTOR + CABLE

Includes power feed.

9514611041 1 m cable
9514611043 2 m cable



MICRO TERMINATOR

9514611015 Male
9514611017 Female



INLINE TERMINATOR

9514611019



FIELD INSTALLABLE

9514611011 Male
9514611013 Female



YAMAHA HUB DATA CABLE

9514611122 1 m



CABLE

9514611051 1 m
9514611053 2 m
9514611055 5 m
9514611057 10 m



Lighting

LED SPOT LIGHT



Spotlight with pleasantly warm tinted light 3200K. 1 W. Height of the base 23 mm, Ø 59 mm. Total length 224 mm. 10 - 15 V. USB-output. Switch.

9514051534

Warm white color. 2 W. 3200K. Height of the base 24 mm, Ø 59 mm. Total length 222 mm. 10 - 15 V. Rocker switch. USB-output.

9514051536



LED reading light with 16 LED lights, warm white color 3000K. 16 x 0,2 W. Stainless steel. Base Ø 65 mm. 8 - 30 V. Switch.

9514051530



10

LED reading light with 12 LED lights, warm white 2900K. 12 x 0,2 W. Chromed brass. Base Ø 51 mm. 10 - 30 V. Switch.



9514051532

10



LED LIGHTS INSIDE/OUT



With 6 LED lights, daylight white. Ø 70,9 mm. Plastic body/stainless steel AISI304 decorative ring. IP67. 12 - 24 V.



9514051520 10



With 5 warm white LED lights. Ø 94 mm. Stainless steel AISI304. IP65. 12 V.



9514051522 10



With 9 warm white LED lights. Ø 132 mm. Stainless steel AISI304. IP65. 12 V.



9514051524 10



LED INTERIOR LIGHT

With push-button, night light can be switched off. Warm white LED light. Ø 127 mm. IP65-splash proof. 10 - 30 V.



9514051510 10



With 20 warm white LED lights. IP65 splash water proof. Ø 106,6 mm. 12 V. Rocket switch.



9514051512 10



With 16 daylight white LED lights. 4000K. Ø 139 mm. Plastic body. 12 V. Rocker switch.



9514051502 10

Lighting

ENGINE ROOM LIGHT


With 33 white LED lights 5700K. 33 x 0,5 W.
Width 159,7 mm, height 95 mm. Plastic.
IP67. 10 - 30 V.

9514051580



10

Vibration and
heat resistant.

FLUSHMOUNTABLE
DECK LIGHT

With 1 white LED light,
0,2 W. 5500K. Installation hole
21,5 mm. Splash water proof. 12 V.

9514051546



10



SURFACE MOUNT STEP LIGHT

With 6 white
LED lights,
6 x 0,2 W. 5700K.
Plastic body/
stainless steel
AISI304
decorative ring.
IP67. 12 V.

9514051542



10



With 5 blue
LED lights.
5 x 0,4 W.
Stainless steel.
IP67. 12 V.

9514051540



10



LED LIGHT BAR



With 30 white LED lights. Length 390 mm. Plastic. IP65.

9514051560



10

LED-FLASHLIGHT
CREE LED

Black polymerbody with rubberized
grip. Cree white LED up to
280 lumens. 3-mode electronic
switch, IP68 waterproof and dust
proof. Length 165 mm. Includes
4 kpl rechargeable 1,2 V
800 mA Ni-MH AAA-batteries
and charging cable.

9514039092




Yellow polymerbody with black rubberized
grip. IP68 waterproof and dust proof. Cree
white LED up to 500 lumens. 3-mode
electronic switch. Includes 4 kpl rechargeable
1,2 V 2000mA Ni-MH AA-batteries and
charging cable. Length 188 mm.

9514039093

Electrical accessories

USB CHARGING SOCKET
PANEL MOUNT


With protective hat. 3.1A/2x2.1A.
Black plastic. IP65. 6 - 30 V.

9514003066  10



DUAL USB CHARGER PLUG


USB charging adapter for cigarette
lighter socket. 12 V inlet.
5 V/2,1A.

9514003064  10



SWITCH PANELS

Sturdy aluminium base plate. Voltage meter.
USB-output + 1 pc. 12 V output (larger panel only).
3/6 switches, 12 V/20A or 24 V/10A.

9514014030 3 switches  10
9514014032 6 switches 10

POWER
CABLE

Black, PVC-covered,
multithreaded,
tinplated and
oxygenfree
copper cable.

7,5 m.

9514040602 8 mm²
9514040604 16 mm²
9514040606 25 mm²
9514040608 35 mm²
9514040610 50 mm²
9514040612 70 mm²

 10

15 m.

9514040622 8 mm²
9514040624 16 mm²
9514040626 25 mm²
9514040628 35 mm²

 10



CEE PLUG MALE


Wall mounted.

9514101134



MAIN SWITCH


100A. Ø 65 mm, maximum load
500A/5 second, 12/24 V, protective
hat made of rubber.

9514003012  10



SWITCH/DIMMER

12 - 30 V. Max. 18 W. IP68.
Stainless steel. Linear
dimming when pressing
the button without
releasing it.

9514003095  10



Electrical accessories

BOOSTER
CABLES

Heavy duty cables for jump starting. 7 m, 35 mm².



9514040280 6

STORAGE CLIPS

Robust pair of fixings for e.g. storing table stand. Ø 60 - 65 mm.



9511045160 10

BATTERY
SHOE PAIR

Bolt fixing. 10 mm.



9514040690 10

DRAIN PLUG

Made of brass and rubber, expands by twisting.



10

		Ø mm
9515019015	5/8"	16
9515019005	3/4"	19
9515019006	1"	25,4
9515019008	1 1/4"	32



HOSE CLAMP

Not through-perforated, stainless steel AISI316.

	hose Ø mm	band width mm
9515014081	12 - 22	10
9515014082	16 - 27	13
9515014088	23 - 35	13
9515014092	30 - 45	13
9515014100	40 - 60	13
9515014106	50 - 70	13



10



BATTERY CABLE

Ready made battery cable 0,5 m, 12 mm. With ring connectors. Sold by the piece.

9514040652	25 mm ²
9514040654	35 mm ²
9514040656	50 mm ²



10

Ready made battery cable 1 m, 12 mm. With ring connectors. Sold by the piece.

9514040658	25 mm ²
9514040660	35 mm ²
9514040662	50 mm ²



10

ACCESSORIES FOR BOATER

Boat accessories

TOOL CASE 114 TOOLS

Very good quality and versatile tool kit in a robust case.

9519400098



Includes the most important tools for any boater.

ROLLER-KIT



9519400090 24 Roller 110 mm, brush 50 mm
9519400092 12 Roller 180 mm, brush 50 mm

FUEL TANK

Blastic fuel tank with suction tube. Cork has separate air valve. Lateral use. ISO 13591.



9513780045 6 12 liter 40 x 28 x 17 cm
9513780047 5 24 liter 46 x 34 x 23 cm
9513780107 spare cork, blue

EMERGENCY PLUG KIT

Dryflex-material. Includes 3 plugs: 2 - 10 mm, 5 - 22 mm, 13 - 42 mm. Flexible and durable. Suitable for plugging feedthroughs and unevenly shaped holes.

9518035038



BAILER

Plastic. Robust handle, width 15 cm, depth 17 cm, total height 12,5 cm.



9515002002 10



1852

MAR
INE
QUALITYCOMFORT
WHILE BOATING

Interior decorations

CUSHION, SINGLE

Kapok filling, floating, impregnated cotton fabric, grab cord encircles the cushion. Dimension approx. 47 x 37 x 6 cm.

9517007004 navy
9517007006 grey
9517007008 beige



10



CUSHION, DOUBLE

Kapok filling, floating, stays in place better than two separate cushions. Dimension approx. 47 x 74 x 6 cm.

9517007020 navy
9517007027 grey
9517007028 beige



5

FLUSH-MOUNTED MUG
OR CAN HOLDER

Polished stainless steel.
Ø 68 mm, depth 40 mm.



9519036012 10



DISH SET

Made of melamine. Decorated with anchor and rope design. Set contains: 4 desert bowls, 4 large plates, 4 bread plates, 4 drinking glasses, 4 mugs.

9515008710

Boat accessories

WATER TIGHT
STORAGE BAGS

Suitable for storing clothes and equipment without humidity problems.

- 9517011633 Bag 10 l.
- 9517011634 Bag 15 l.
- 9517011635 Bag 25 l.
- 9517011631 Ruck sack 15 l.
- 9517011632 Soft bucket 15 l.

Useful storage bags for example boating, kayaking, camping...



RUBBERBOOT

Pleasant to wear, made from pliable soft rubber. With removable inner sole and nonmarking non-slip bottom type, designed especially for boating and sailing. These high-quality boots are 100% waterproof and they have enforced construction on heel, sole and toe parts.

- | | | | |
|------------|---------|------------|---------|
| 9557201502 | Size 37 | 9557201508 | Size 43 |
| 9557201503 | Size 38 | 9557201509 | Size 44 |
| 9557201504 | Size 39 | 9557201510 | Size 45 |
| 9557201505 | Size 40 | 9557201511 | Size 46 |
| 9557201506 | Size 41 | 9557201512 | Size 47 |
| 9557201507 | Size 42 | | |



1852

MAR
INE
QUALITY

EXCELLENT HOLDING POWER

Anchoring and fastening

ANCHOR LINE REEL

Line length 32 m, width 25 mm.
Breaking strength 2000 kg.
Diameter with line guide 320 mm,
without 290 mm.

9513055037

Line length 50 m, width 35 mm.
Breaking strength circa 2500 kg.
Diameter without line guide 380 mm.

9513055039



Easy installation
on rail
Ø 22 - 30 mm.



RATCHET BUCKLE SET 1200 KG

Suitable especially
for securing a boat
on a trailer. Breaking
strength 1200 kg. Pack
includes 4 pcs of load
straps. Line length 2 m.
Loop 250 mm.

9513040110

RATCHET BUCKLE SET, 1500 KG

Practical ratchet kit.
Breaking strength 1500 kg.
Kit contains: 4 pcs
straps 2,5 m/35 mm
with 250 mm
loops, 4 pcs
ratchets,
1 pc removable
handle

9513040112



FLAT FENDERLINE



Excellent holding power also on wire
rails. 2 pcs/pack. Ø 8 mm, length 2 m.
A spliced 40 mm loop at the other end.

9517159374 navy blue
9517159376 black
9517159377 grey

Shackles and carbine hooks

SHACKLE

D-model, stainless steel AISI316.


	Ø mm
9513033605	5
9513033606	6
9513033608	8
9513033610	10
9513033612	12



SHACKLE

D-model, long. Stainless steel AISI316.


	A	B	L	BS
	mm	mm	mm	kg
9513033193	6	12	45	1700
9513033194	8	16	60	2500
9513033195	10	20	75	3500



BOW SHACKLE

Stainless steel AISI316.

	size mm
9513033505	5
9513033506	6
9513033508	8
9513033510	10



CARBINE HOOK

Stainless steel AISI316.

	length mm	jaw gap mm	eye Ø mm
9513036161	50	8	7
9513036162	70	14	10
9513036163	100	16	13



CARBINE HOOK

Stainless steel AISI316. Very robust.

	size mm
9513039206	6 x 61
9513039208	8 x 81
9513039210	10 x 102
9513039212	12 x 122



CARBINE HOOK

Stainless steel AISI316, with swivel eye.

	length mm
9513036250	69
9513036251	86
9513036252	99,5
9513036253	117,5



Snap hooks and rings

SNAP HOOK

Stainless steel AISI316.

	length mm	material thickness mm
9513039072	60	6
9513039074	80	8
9513039076	100	10
9513039078	140	12
9513039080	180	14



SNAP HOOK

Galvanized.

	length mm	material thickness mm
9513038008	40	4
9513038009	50	5
9513038010	60	6
9513038011	70	7
9513038012	80	8
9513038013	90	9
9513038014	100	10
9513038016	120	11
9513038017	140	12
9513038018	160	13
9513038019	180	14



SNAP HOOK

Stainless steel AISI316, snap hook with rope look.


	koko mm
9513038998	4 x 40
9513039000	5 x 50
9513039001	6 x 60
9513039002	7 x 70
9513039004	8 x 80
9513039005	9 x 90
9513039006	10 x 100
9513039030	11 x 120
9513039031	12 x 140
9513039032	13 x 160
9513039033	14 x 180



RING


O-ring, stainless steel AISI316.

	inner-Ø mm	material thickness mm
9513060008	25	3
9513060010	30	4
9513060006	35	5
9513060011	40	6
9513060012	50	8
9513060014	60	10
9513060016	70	12

SWIVEL SNAP
SHACKLE

Stainless steel AISI316.


	length mm	rope mm
9512093010	67	12
9512093012	87	16
9512093014	122	22




Deck fittings

BOLLARD

Joint base cleat, stainless steel AISI316,
short version.



	length mm	
9511002100	100	10
9511002125	125	10
9511002150	150	10
9511002200	200	10



RING BOLT

With nut, stainless steel AISI316.

	bolt Ø mm	bolt pituus mm	ring Ø mm
9511025019	6	80	35
9511025020	8	80	45
9511025017	10	100	50
9511025018	12	120	60
9511025022	12	180	60



10

SQUARE PAD

Stainless steel AISI316.

	Ø mm	bottom plate size mm
9511005003	5	30 x 35
9511005004	6	35 x 40
9511005005	8	40 x 50



10

WIRE EYE BOLT

With bolt, stainless steel AISI316.

	bolt Ø mm	eye Ø mm	bolt length mm
9511028106	6	13	40
9511028108	8	17	80
9511028110	10	21	80
9511028112	12	25	100



10

WIRE EYE STRAP

Stainless steel AISI316, forged.

	Ø mm	size mm
9513006004	4	40
9513006006	5	50
9513006005	6	60
9513006010	8	64
9513006012	10	82



10

1852

MAR
INE
QUALITY

FOR GREAT FUN FOR WATER

Water sports equipment



WATER SKI TUBE, CRAZY BANANA

For max. three persons.
Neoprene seating and padded
handles. Outer cover is 840 denier
cordura nylon. Inner tube is 28 Gauge
PVC. 400 kg capacity, length 310 cm.

9519038295



WATER SKI TUBE, SPARK

For one person.
Ø 137 cm.

9519038293



WATER SKI TUBE SET, TRIDENT

The kit includes a Trident
water ski tube for one
person, a pump and
a rope. Rope is 18 mtr
long. Material outer
cover is 420 denier
cordura and inner tube
is 24 gauge PVC.
Capacity 150 kg
and tube
dimensions
Ø 140 cm.

9519038291



WATERSKI ROPE

23 m.

9519038241



10



WAKEBOARD ROPE

20 m.

9519038243



10



WATER SKI TUPE ROPE

For one person, 18 m.

9519038245



10



WATER SKI TUPE ROPE

For two persons, 18 m.

9519038246



10



WATER SKI TUPE ROPE

For four persons, 18 m.

9519038247



10





Oy Maritim Ab
Veneentekijäntie 1, 00210 Helsinki, Finland
Tel. +358 (0)10 2740 300, www.maritim.fi
orders@maritim.fi, tel. +358 (0)10 2740 320